



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/821,313

04/08/2004

Jeff Steven Edgett

2062.024US1

9716

21186

7590

05/30/2008

SCHWEGMAN, LUNDBERG & WOESSNER, P.A.

P.O. BOX 2938

MINNEAPOLIS, MN 55402

EXAMINER

CHAI, LONGBIT

ART UNIT

PAPER NUMBER

2131

MAIL DATE

DELIVERY MODE

05/30/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/821,313	Applicant(s) EDGETT ET AL.	
	Examiner LONGBIT CHAI	Art Unit 2131	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 May 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>5/6/2008</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Currently pending claims are 1 and 3 – 35.

Response to Arguments

2. Applicant's arguments with respect to the subject matter of the instant claims have been fully considered but are not persuasive.

3. As per amended claim 1, Applicant asserts (a) Grootwassink does not teach "establishing a communications link with the client access device to authenticate and authorize the user, including communicating an agent to the client access device, the agent operable to identify the client device configuration" (Remarks: Page 11 / 4th Para) wherein (b) Applicant argues that Grootwassink indicates "when a wireless unit initiates a communication in a visited service area, the visited system service provider attempts to find the wireless unit's identification (also referred to as registration information) from the HLR" and thus Grootwassink's "the VLR communicates the client configuration data with HLR" can not read on the above claim limitation (Remarks: Page 11 / Last Para). Examiner respectfully disagrees because Grootwassink teaches when a client mobile unit powers-on, the mobile unit first sends a registration request to a serving MSC when roaming into a VLR (Grootwassink: Column 5 Line 35 – 47) and therefore, after that, if a wireless unit initiates a communication in a visited service area, the VLR should be able to allocate the client mobile unit's identification information – If it can not find the required information, then it starts querying HLR (Grootwassink: Column 2 Line 48 – 51). Examiner notes the initial registration process initiated by the client mobile unit communicating with VLR evidently includes a series of registration granting / denial exchange messages between the VLR and the mobile unit and as such the process indeed matches the claim

Art Unit: 2131

language "including communicating an agent to the client access device, the agent operable to identify the client device configuration" as recited in the amended claim and as such Applicant's arguments are respectfully traversed.

Claim Objections

4. Claims 1 and 30 are objected to because of the following informalities: the original claim limitation, filed on 10/24/2007, includes "processing the client device configuration data includes determining if the client device configuration data meets predetermined security requirements". However, this instant amended claim, filed on 4/29/2008, does not present this particular claim limitation (also without the strike-out). Examiner notes it is not clear the omitted claim limitation is intentional or is mistaken and as such the following examination is based upon the currently amended claims filed on 4/29/2008 in order to continue the prosecution. Appropriate correction(s) is (are) required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 32 and 34 are rejected under 35 U.S.C. 102(e) as being anticipated by Grootwassink (U.S. Patent 7,031,705).

Art Unit: 2131

As per claim 32 and 34, Grootwassink teaches a method to manage access to a network from a client access device, the method comprising:

requesting access to the network, the requesting involving a first service access provider and a second service access provider (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 33 – 67: a HLR is qualified as a second service access provider while a VLR as a first service access provider);

authenticating a user associated with the client access device in an authentication and authorization exchange involving an agent communicated to the client access device, the agent operable to identify the client device (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 47 – 67: the initial registration process initiated by the client mobile unit that includes a series of registration granting / denial exchange messages between the VLR and the mobile unit does match the claim language), wherein the user is a subscriber of the second service access provider (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 33 – 67: the user is a subscriber of the HLR);

communicating client device configuration data to the second service access provider via the agent (Grootwassink: Column 5 Line 35 – 47, Column 2 Line 63 – 67 / Line 48 – 62 and Column 5 Line 3 – 10: Examiner notes the broadest and reasonable claim interpretations are made, according to MPEP 2111, such that a registration information is interpreted as a part of the device configuration data);

processing the configuration data, by the second service provider (Grootwassink: Column 2 Line 47 – 67);

Art Unit: 2131

receiving a verification response from the second service access provider via the first service access provider (Grootwassink: Column 2 Line 63 – 67: the indication originating from the HLR (i.e. the second service access provider)); and

if the user is authenticated and the verification response from the second service access provider indicates acceptance of the client device configuration data, accessing the network via the first service provider (Grootwassink: Column 2 Line 63 – 67 and Column 3 Line 2 – 4: the grant indication originating from the HLR (i.e. the second service access provider) and accessing the network via the VLR of the local network).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A person shall be entitled to a patent unless –

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1 and 3 – 31, 33 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grootwassink (U.S. Patent 7,031,705), in view of Albert et al. (U.S. Patent 2003/0177389).

As per claim 1 and 30, Grootwassink teaches a method comprising:

performing, in a service access provider, operations including:

receiving an access request from a client access device (the mobile unit sends a registration request to a serving MSC when roaming into a VLR (Grootwassink: Column 5 Line

Art Unit: 2131

35 – 47 and Column 4 Line 12 – 20: Examiner notes (a) a VLR is interpreted as a first service access provider and (b) the registration to a VLR is just like a log-in process for accessing to a computer system and hence is equivalent to access request to a VLR, which can allow or denies the service request accordingly (Grootwassink: Column 4 Line 20)), the access request requesting access to a packet-switched computer network, wherein a user associated with the client access device is a subscriber of a second service access provider (Grootwassink: Column 2 Line 47 – 67 and Column 1 Line 15 – 41: (a) a HLR is qualified as a second service access provider while a VLR as a first service access provider (b) mobile wireless communication network is indeed implemented as a message-based packet switching network technology to handle the messages exchanged between the provider and the clients);

establishing a communications link with the client access device to authenticate and authorize the user, including communicating an agent to the client access device, the agent operable to identify the client device (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 47 – 67: the initial registration process initiated by the client mobile unit that includes a series of registration granting / denial exchange messages between the VLR and the mobile unit does match the claim language);

receiving client device configuration data from the agent over the communications link during an authentication and authorization exchange (Column 5 Line 35 – 47, Column 2 Line 63 – 67 / Line 48 – 62 and Column 5 Line 3 – 10: Examiner notes the broadest and reasonable claim interpretations are made, according to MPEP 2111, such that a registration information is interpreted as a part of the device configuration data);

transmitting the client device configuration data destined for the second service access provider, wherein the second service access provider is operable to process the client device configuration data (Grootwassink: Column 2 Line 47 – 67); and

receiving an indication about whether the client access device is granted access to the network, the indication originating from the second service access provider (Grootwassink: Column 2 Line 63 – 67 and Column 3 Line 2 – 4: the grant indication originating from the HLR (i.e. the second service access provider) and accessing the network via the VLR of the local network).

Grootwassink does not disclose expressly selectively granting the client access device access to the network based upon the client device configuration data.

Albert teaches selectively granting the client access device access to the network based upon the client device configuration data (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3: the user's individual security setting associated with the client device is qualified as client device configuration data).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Albert within the system of Grootwassink because (a) Grootwassink teaches providing a security validation for a roamer including personal communication service (PCS) units in a wireless network (Grootwassink : Column 1 Line 25 – 28 / Line 34 – 40 and Column 2 Line 6 – 10) and (b) Albert teaches providing enhanced authenticating method by using the security enforcement module that applies access security policy for regulating access at a client device including mobile computer users in a wireless network (Albert: Para [0008] Line 4 – 13 and Para [0024]).

As per claim 3, Grootwassink as modified teaches determining if the client device configuration data meets predetermined security requirements includes comparing the client device configuration data with reference configuration data (Grootwassink: Column 2 Line 63 – 67) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

Art Unit: 2131

As per claim 4 and 19, Grootwassink as modified teaches the second service access provider is further operable to update the client device configuration data if the client device configuration data fails to meet the predetermined security requirements (Albert: Para [0066], [0025], [0072] and [0085] – [0098] & Figure 3: the corporate security policies that are predefined and assigned to the user are typically downloaded to the user's device from an integrity server).

As per claim 5 and 20, Grootwassink as modified teaches selectively granting the client access device access to the network includes, denying access to the network if the client device configuration data is not updated (Albert: [0066] & Figure 3: the last sentence) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

As per claim 6, Grootwassink as modified teaches the agent operable to identify the client device configuration data and to communicate the client device configuration data to a server of the network (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10: the VLR communicates the client configuration data with the HLR) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

As per claim 7 and 22, Grootwassink as modified teaches if after the processing of the client device configuration data the client device configuration data requires an update, using the agent to update the client. access device with updated configuration data (Albert: Para [0066], [0025], [0072] and [0085] – [0098] & Figure 3: the corporate security policies that are predefined and assigned to the user are typically downloaded to the user's device from an integrity server).

As per claim 8 and 23, Grootwassink as modified teaches after updating the client access device, receiving an update result indicator from the agent to confirm that the configuration of the client access device has been updated (Albert: Para [0072]).

As per claim 9, Grootwassink as modified teaches the establishing of the communications link with the client access device includes communicating a command set, which includes at least one command, to the client access device, the command set operable to identify the client device configuration data and to communicate the client device configuration data to a server of the network (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10: a command set, for example, is to find out the wireless unit's identification (or registration information) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

As per claim 10 and 25, Grootwassink as modified teaches if after the processing of the client device configuration data the client device configuration data requires an update, using the command set to update the client access device with updated configuration data (Albert: Para [0066], [0025], [0072] and [0085] – [0098] & Figure 3: the corporate security policies that are predefined and assigned to the user are typically downloaded to the user's device from an integrity server).

As per claim 11 and 27, Grootwassink as modified teaches the command set further includes a first command set to identify and communicate the client device configuration data to the server (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10: a command set, for example, is to find out the wireless unit's identification (or registration information)), and a

Art Unit: 2131

second command set to update the client access device with the updated configuration data ((Albert: Para [0066], [0025], [0072] and [0085] – [0098] & Figure 3: the corporate security policies that are predefined and assigned to the user are typically downloaded to the user's device from an integrity server).

As per claim 12 and 26, Grootwassink as modified teaches after updating the client access device, receiving an update result indicator from the client access device to confirm that the configuration of the client access device has been updated (Albert: Para [0096] – [0098] & Figure 3).

As per claim 13, Grootwassink as modified teaches after establishing communications with the client access device, authenticating a user associated with the client access device (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

As per claim 14, Grootwassink as modified teaches authenticating the user includes verifying user login information associated with the user attempting access to the network (Grootwassink: Column 2 Line 20 – 25 and Column 5 Line 6 – 10) & (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3).

As per claim 15, 29 and 31, Grootwassink as modified teaches the client device configuration data includes at least one of virus definition data, firewall configuration data, and operating system configuration data (Albert: Para [0090]: a message sent by the of client security module is a “firewall” event control related configuration data)

Art Unit: 2131

As per claim 16, Grootwassink as modified teaches a system to verify configuration data of a client access device requesting access to a network, the system comprising:

a first service access provider (Grootwassink: Column 2 Line 33 – 46: a VLR is qualified as a first service access provider), coupled to a network, to establish a communications link to the client access device to receive, from the client access device, authentication information for a user associated with the client access device (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 63 – 67), including communicating an agent to the client access device, the agent operable to identify the client device configuration (Grootwassink: Column 5 Line 35 – 47 and Column 2 Line 47 – 67: the initial registration process initiated by the client mobile unit that includes a series of registration granting / denial exchange messages between the VLR and the mobile unit does match the claim language) to receive the configuration data from the client access device over the communications link during an authentication and authorization exchange (Grootwassink: Column 5 Line 35 – 47, Column 2 Line 63 – 67 / Line 48 – 62 and Column 5 Line 3 – 10: Examiner notes the broadest and reasonable claim interpretations are made, according to MPEP 2111, such that a registration information is interpreted as a part of the device configuration data); and

a second service access provider to receive the authentication information and the configuration data from the first service access provider, to process the configuration data (Grootwassink: Column 2 Line 63 – 67 and Column 3 Line 2 – 4: the grant indication originating from the HLR (i.e. the second service access provider) and accessing the network via the VLR of the local network).

Grootwassink does not disclose expressly selectively granting the client access device access to the network based upon the client device configuration data.

Albert teaches selectively granting the client access device access to the network based upon the client device configuration data (Albert: Para [0067] Line 7 – 10 and [0066] & Figure 3: the user's individual security setting associated with the client device is qualified as client device configuration data).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teaching of Albert within the system of Grootwassink because (a) Grootwassink teaches providing a security validation for a roamer including personal communication service (PCS) units in a wireless network (Grootwassink : Column 1 Line 25 – 28 / Line 34 – 40 and Column 2 Line 6 – 10) and (b) Albert teaches providing enhanced authenticating method by using the security enforcement module that applies access security policy for regulating access at a client device including mobile computer users in a wireless network (Albert: Para [0008] Line 4 – 13 and Para [0024]).

As per claim 17, Grootwassink as modified teaches processing the client device configuration data includes determining if the client device configuration data meets predetermined security requirements (Grootwassink: Column 2 Line 63 – 67).

As per claim 18, Grootwassink as modified teaches determining if the client device configuration data meets predetermined security requirements includes comparing the client device configuration data with reference configuration data (Grootwassink: Column 2 Line 63 – 67).

As per claim 21, Grootwassink as modified teaches the establishing of the communications link with the client access device includes, communicating an agent to the client access device, the agent operable to identify the client device configuration data and to

Art Unit: 2131

communicate the client device configuration data to a server of the network (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10: the VLR communicates the client configuration data with the HLR).

As per claim 24, Grootwassink as modified teaches the establishing of the communications link with the client access device includes communicating a command set, which includes at least one command, to the client access device, the command set operable to identify the client device configuration data and to communicate the client device configuration data to a server of the network (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10: a command set, for example, is to find out the wireless unit's identification (or registration information)).

As per claim 28, Grootwassink as modified teaches after establishing communications with the client access device, authenticating a user associated with the client access device (Grootwassink: Column 2 Line 47 – 67 and Column 5 Line 6 – 10).

As per claim 33 and 35, Grootwassink does not disclose expressly prior to receiving a verification response, updated configuration data is received from the network access system to replace the client device configuration data.

Albert teaches prior to receiving a verification response, updated configuration data is received from the network access system to replace the client device configuration data (Albert: Para [0066] Para [0097] and [0098]: the integrity server updates and installs the security policies on the client device and may deny the client's access to the network if the required security policy or module is not subsequently activated by the client device).

Art Unit: 2131

Same rationale of combination applies herein as above in rejecting the claim 1.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LONGBIT CHAI whose telephone number is (571)272-3788. The examiner can normally be reached on Monday-Friday 9:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh can be reached on 571-272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2131

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Longbit Chai/

Longbit Chai Ph.D.
Patent Examiner
Art Unit 2131
5/27/2008